

Morpheus Scoring Sheet MD1-47.xlsx

Morpheus HT-96 MD1-47



Date:

Sample:

Conc:

Notes:

Well #	Tube Contents	Notes
A1	0.06M Divalent, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 1	
A2	0.06M Divalent, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 2	
A3	0.06M Divalent, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 3	
A4	0.06M Divalent, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 4	
A5	0.06M Divalent, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 1	
A6	0.06M Divalent, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 2	
A7	0.06M Divalent, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 3	
A8	0.06M Divalent, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 4	
A9	0.06M Divalent, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 1	
A10	0.06M Divalent, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 2	
A11	0.06M Divalent, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 3	
A12	0.06M Divalent, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 4	
B1	0.09M Halogen, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 1	
B2	0.09M Halogen, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 2	
B3	0.09M Halogen, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 3	
B4	0.09M Halogen, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 4	
B5	0.09M Halogen, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 1	
B6	0.09M Halogen, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 2	
B7	0.09M Halogen, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 3	
B8	0.09M Halogen, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 4	
B9	0.09M Halogen, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 1	
B10	0.09M Halogen, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 2	
B11	0.09M Halogen, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 3	
B12	0.09M Halogen, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 4	

Morpheus HT-96 MD1-47

Well #	Tube Contents	Notes
C1	0.09M NPS, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 1	
C2	0.09M NPS, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 2	
C3	0.09M NPS, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 3	
C4	0.09M NPS, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 4	
C5	0.09M NPS, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 1	
C6	0.09M NPS, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 2	
C7	0.09M NPS, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 3	
C8	0.09M NPS, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 4	
C9	0.09M NPS, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 1	
C10	0.09M NPS, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 2	
C11	0.09M NPS, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 3	
C12	0.09M NPS, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 4	
D1	0.12M Alcohols, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 1	
D2	0.12M Alcohols, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 2	
D3	0.12M Alcohols, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 3	
D4	0.12M Alcohols, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 4	
D5	0.12M Alcohols, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 1	
D6	0.12M Alcohols, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 2	
D7	0.12M Alcohols, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 3	
D8	0.12M Alcohols, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 4	
D9	0.12M Alcohols, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 1	
D10	0.12M Alcohols, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 2	
D11	0.12M Alcohols, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 3	
D12	0.12M Alcohols, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 4	

Morpheus HT-96 MD1-47

Well #	Tube Contents	Notes
E1	0.12M Ethylene Glycols, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 1	
E2	0.12M Ethylene Glycols, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 2	
E3	0.12M Ethylene Glycols, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 3	
E4	0.12M Ethylene Glycols, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 4	
E5	0.12M Ethylene Glycols, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 1	
E6	0.12M Ethylene Glycols, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 2	
E7	0.12M Ethylene Glycols, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 3	
E8	0.12M Ethylene Glycols, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 4	
E9	0.12M Ethylene Glycols, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 1	
E10	0.12M Ethylene Glycols, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 2	
E11	0.12M Ethylene Glycols, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 3	
E12	0.12M Ethylene Glycols, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 4	
F1	0.12M Monosaccharides, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 1	
F2	0.12M Monosaccharides, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 2	
F3	0.12M Monosaccharides, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 3	
F4	0.12M Monosaccharides, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 4	
F5	0.12M Monosaccharides, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 1	
F6	0.12M Monosaccharides, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 2	
F7	0.12M Monosaccharides, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 3	
F8	0.12M Monosaccharides, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 4	
F9	0.12M Monosaccharides, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 1	
F10	0.12M Monosaccharides, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 2	
F11	0.12M Monosaccharides, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 3	
F12	0.12M Monosaccharides, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 4	

Morpheus HT-96 MD1-47

Well #	Tube Contents	Notes
G1	0.10M Carboxylic Acids, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 1	
G2	0.10M Carboxylic Acids, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 2	
G3	0.10M Carboxylic Acids, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 3	
G4	0.10M Carboxylic Acids, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 4	
G5	0.10M Carboxylic Acids, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 1	
G6	0.10M Carboxylic Acids, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 2	
G7	0.10M Carboxylic Acids, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 3	
G8	0.10M Carboxylic Acids, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 4	
G9	0.10M Carboxylic Acids, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 1	
G10	0.10M Carboxylic Acids, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 2	
G11	0.10M Carboxylic Acids, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 3	
G12	0.10M Carboxylic Acids, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 4	
H1	0.10M Amino Acids, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 1	
H2	0.10M Amino Acids, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 2	
H3	0.10M Amino Acids, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 3	
H4	0.10M Amino Acids, 0.1M Buffer System 1 pH 6.5, 50% v/v Precipitant Mix 4	
H5	0.10M Amino Acids, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 1	
H6	0.10M Amino Acids, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 2	
H7	0.10M Amino Acids, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 3	
H8	0.10M Amino Acids, 0.1M Buffer System 2 pH 7.5, 50% v/v Precipitant Mix 4	
H9	0.10M Amino Acids, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 1	
H10	0.10M Amino Acids, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 2	
H11	0.10M Amino Acids, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 3	
H12	0.10M Amino Acids, 0.1M Buffer System 3 pH 8.5, 50% v/v Precipitant Mix 4	